

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Conkey's

TRADE MARK

THE ORIGINAL

Buttermilk STARTING FEED



RAISES HUSKY CHICKS



FEED IT EIGHT WEEKS



The Right Start Makes Chick Raising Easy

CONKEY'S (The Original) BUTTERMILK STARTING FEED was put on the market to satisfy a long-felt want for a pure, sweet, clean feed that could be depended upon to carry baby chicks safely through the critical first eight weeks.

Conkey's is simple and yet so different. It did not "just happen"—it is a scientifically-balanced feed as clean and wholesome and as conscientiously prepared as any "infant food" should be made.

What Is Conkey's Secret?

This question is often asked by people amazed at the wonderful results they accomplish with CONKEY'S BUTTERMILK STARTING FEED. When they see their chicks growing so fast—into sturdy, vigorous birds—many persons insist there must be some mysterious ingredient which Conkey doesn't tell the public about.

But there is no secret about Conkey's unless it be in the exclusive ORIGINAL Conkey process whereby fresh, concentrated (not dry) buttermilk is blended with the other ingredients in such a way as to preserve the appetizing, tonic, and other properties of the newly-churned product. Another reason for Conkey's tremendous success lies in the fact that he spares no pains or expense to make his Starting Feed clean, uniform and wholesome at all times.

The ingredients in Conkey's are simply buttermilk, oatmeal, a special wheat middlings, corn meal, corn feed meal, and granulated bone. The selected, plump grains, ground to proper fineness are combined with the buttermilk and bone so as to make a feed palatable, nutritious, and readily digestible. Verify for yourself these statements—TASTE it, SMELL it, that's the way to judge a chick feed.

Semi-Liquid Buttermilk Used

One reason Conkey's is so different is that it carries buttermilk in just the right proportion to

help in preventing White Diarrhea, Leg Weakness, Bowel Troubles, etc. The buttermilk in Conkey's is the old-fashioned kind with nothing taken out but part of the water—it isn't dry buttermilk.

When Conkey originated the first commercial feed containing buttermilk, through discovery of the process of blending the ingredients with semi-liquid buttermilk, he taught the poultry world a valuable lesson. Since that time, many substitutes and "short cuts" have been offered but so far none have been found that take the place of the painstaking effort required to properly blend the fresh semi-liquid product with the other ingredients.

Lactic acid in the buttermilk used by Conkey is described as an "intestinal broom" which helps to sweep away unfriendly bacteria and disease germs in the delicate digestive tract. Buttermilk is also rich in one of the vitamins necessary to growing birds. It adds zest to the appetite, aids digestion and helps to build flesh.

However, it is not the buttermilk nor the other ingredients alone that causes people to declare that their chicks grow twice as fast on Conkey's. It is not the buttermilk alone that protects chicks

Conkey's Buttermilk Starting Feed

(THE ORIGINAL)

Is made with a low fibre content because the very delicate digestive organs of a baby chick cannot take care of coarse, heavy feeds. Fibre content in Conkey's is 4 per cent.

Is rich in mineral because bones and feathers must be grown first.

Contains just the right amount of protein to insure good digestion and proper growth. (Avoid any feed for baby chicks containing more than 12 to 14% protein.)

Carries buttermilk in just the right proportion as an aid in prevention of bowel troubles, White Diarrhea, leg weakness and other chick disorders.

from disease during the critical first eight weeks. Success comes from the combination of these materials by the ORIGINAL Conkey process—the balancing of the ration, as Conkey knows how.

Poultry experts who have studied the subject sufficiently to realize the immense importance of little things in the care and feeding of poultry and other animals, like to give Conkey credit for producing commercially a baby chick feed that is always a little in advance of what the most particular feeder would ask for. It saves them time and money.

Now don't be influenced by "cheaper" imitations labeled "buttermilk"—that word may be used to deceive unwary buyers—to cover up a multitude of "sinful" grains, mill sweepings, poisonous weed seeds, musty screenings, worthless by-products, or other poor material having little or no nutritive value.

Good As Breakfast Food

Conkey's is so palatable that one poultryman said it ought to be used for "breakfast food." One woman wrote: "My chicks just love Conkey's. It is so tasty, and my how they do grow! Better still, we didn't have a single loss in the present hatch, no White Diarrhea or other bowel troubles like before we began using Conkey's."

An infant's diet is different from that of growing children or adults. It's the same with baby chicks. That's why Conkey prepares the starting feed and recommends its use for the first eight weeks, after which the growing mash should be substituted. When laying time comes still another combination is necessary.

Avoid any feed which is recommended for both the starting and the growing period. Conkey makes three different mashes and offers three different sizes of scratch grains, one combination for each period—starting, or putting in the foundation; growth, or completing the structure, and laying, or high egg production.

DON'T BREAK THE CONKEY CHAIN OF BUTTERMILK FEEDS!

FEEDING DIRECTIONS

Conkey's Buttermilk Starting Feed

INGREDIENTS—Buttermilk, hulled oats, wheat middlings, corn meal, corn feed meal and bone.

ANALYSIS: Crude Protein, 12%; Crude Fibre, 4%; Crude Fat, 3%; Nitrogen Free Extract, 56%; Carbohydrates, 60%.

CONKEY'S BUTTERMILK STARTING FEED is a ready-prepared feed for baby chicks, ducklings, goslings, guineas, poults, pheasants, quail, grouse, and all self-feeding young fowls.

HOW TO FEED STARTING FEED—Don't feed baby chicks until at least 48 hours old. Just before the chick hatches out, it takes into its system the yolk of the egg, which Nature provides for nourishment the first two or three days. Giving other feed before the yolk is digested causes much of the bowel trouble that means big losses.

After chicks are 48 hours old, spread **CONKEY'S BUTTERMILK STARTING FEED**, dry, just as it comes from the bag, on a newspaper or feeding board. To insure that every chick learns to eat, watch the first few feedings. A little coaxing by tapping on the paper or board will usually induce them to peck at the feed—a taste is all that is needed to finish the lesson.

After ten minutes remove the feed. Repeat feeding every two hours for first day that you feed the chicks, then begin feeding them four times a day, giving the little fellows all they will clean up in ten or fifteen minutes.

After the sixth day place feed in **THE CONKEY-NORWICH FEEDER AND FOUNT** and keep it before chicks all the time. Have enough hopper space to allow two-thirds of the chicks to eat at one time. Keep the mash constantly before the chicks until they are eight weeks old, at which time begin gradually shifting to **CONKEY'S BUTTERMILK GROWING MASH**.

GRIT—Give the chicks fine grit as soon as they will pick it up.

WATER—Give chicks plenty of clean drinking water, with chill removed in **CONKEY-NORWICH CHICK FEEDER AND FOUNT**, just as soon as they are dried off and willing to drink. If you suspect White Diarrhea, keep **CONKEY'S WHITE DIARRHEA REMEDY** in the drinking water.

GREENSTUFF—After chicks are six days old, give them a daily feeding of fine sprouted oats, tender grass, lettuce, or similar greenstuff. Grated table beets are good. If weather permits, get them out on the ground during the sunny part of the day after vegetation has dried off.

HOW TO FEED CHICK GRAINS—After the chicks are three weeks old, begin giving them two feedings a day of **CONKEY'S CHICK GRAINS** or similar finely milled grains. Feed the Grains very sparingly in a one-inch-deep litter of ground alfalfa, cut clover, fine cut straw or some other suitable litter material every morning. Increase depth of litter as chicks grow. Give a moderate feeding of the chick grains in the evening—enough to fill their crops.

Conkey-Norwich Chick Feeder--Fount

Keeps Feed Clean---Keeps Down Disease!



WITH RAIN TOP

Conkey now offers the most satisfactory feeder for baby chicks so far devised. After making sure the feed is right, the next step is to make sure that the method of feeding is right—to avoid pollution of feed, one of the greatest sources of disease and death among chicks.

- 1—Chicks can't pollute feed, hopper helps prevent White Diarrhea, and other fatal diseases.
- 2—Chicks saved should pay for several feeders first year.
- 3—Chicks can't waste feed. Another big saving.
- 4—May also be used as a fountain.
- 5—Shape and arrangement allows maximum number of chicks to eat. Durable.
- 6—Rain top feeder protects feed from rain and consequent souring. Also from the older chickens.
- 7—Construction makes cleaning and perfect disinfection easy.
- 8—Guaranteed to satisfy you or your money back.
- 9—Made in one size only—twenty inches, which accommodates up to twenty-five chicks. Three hoppers, placed end to end, take care of 100 chicks. Made of 28-gauge galvanized sheeting with malleable iron ends. Workmanship first class.



WITHOUT RAIN TOP

Your dealer can supply you feeder with rain top for \$1.00, without, for \$0.75.

THE G. E. CONKEY CO.

Cleveland, O., U. S. A.

SOLD BY

CRENSHAW BROS. SEED CO.

Tampa, Fla.

